
DPDispatcher

Deep Potential

Jun 02, 2021

CONTENTS:

1	DPDispatcher API	1
2	Indices and tables	3
	Python Module Index	5
	Index	7

DPDISPATCHER API

```
class dpdispatcher.JobStatus.JobStatus(value)
```

An enumeration.

```
completing = 6
```

```
finished = 5
```

```
running = 3
```

```
terminated = 4
```

```
unknown = 100
```

```
unsubmitted = 1
```

```
waiting = 2
```

LSF batch

```
dpdispatcher.SSHContext.sftp
```

```
dpdispatcher.SSHContext.ssh
```


INDICES AND TABLES

- `genindex`
- `modindex`
- `search`

PYTHON MODULE INDEX

d

- `dpdispatcher.JobStatus`, 1
- `dpdispatcher.LazyLocalContext`, 1
- `dpdispatcher.LocalContext`, 1
- `dpdispatcher.LSF`, 1
- `dpdispatcher.PBS`, 1
- `dpdispatcher.Shell`, 1
- `dpdispatcher.Slurm`, 1
- `dpdispatcher.SSHContext`, 1

INDEX

C

completing (*dpdispatcher.JobStatus.JobStatus attribute*), 1

D

dpdispatcher.JobStatus
module, 1

dpdispatcher.LazyLocalContext
module, 1

dpdispatcher.LocalContext
module, 1

dpdispatcher.LSF
module, 1

dpdispatcher.PBS
module, 1

dpdispatcher.Shell
module, 1

dpdispatcher.Slurm
module, 1

dpdispatcher.SSHContext
module, 1

F

finished (*dpdispatcher.JobStatus.JobStatus attribute*), 1

J

JobStatus (*class in dpdispatcher.JobStatus*), 1

M

module

dpdispatcher.JobStatus, 1

dpdispatcher.LazyLocalContext, 1

dpdispatcher.LocalContext, 1

dpdispatcher.LSF, 1

dpdispatcher.PBS, 1

dpdispatcher.Shell, 1

dpdispatcher.Slurm, 1

dpdispatcher.SSHContext, 1

R

running (*dpdispatcher.JobStatus.JobStatus attribute*), 1

S

sftp (*in module dpdispatcher.SSHContext*), 1

ssh (*in module dpdispatcher.SSHContext*), 1

T

terminated (*dpdispatcher.JobStatus.JobStatus attribute*), 1

U

unknown (*dpdispatcher.JobStatus.JobStatus attribute*), 1

unsubmitted (*dpdispatcher.JobStatus.JobStatus attribute*), 1

W

waiting (*dpdispatcher.JobStatus.JobStatus attribute*), 1